



2 POTRUBNÍ DÍLY

2.1 TRUBKY A TVAROVKY KZ





Trubka s koncovkami KZ

DN KZA/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
15	100	0.07	632 221 024 010
	125	0.08	012
	150	0.1	015
	175	0.12	017
	200	0.14	020
	300	0.21	030
	400	0.28	040
	500	0.35	050
	700	0.49	070
	1000	0.7	100
	1500	1.05	150
	2000	1.4	200
25	100	0.12	632 221 124 010
	125	0.14	012
	150	0.16	015
	175	0.18	017
	200	0.2	020
	300	0.28	030
	400	0.36	040
	500	0.44	050
	700	0.61	070
	1000	0.85	100
	1500	1.26	150
	2000	1.66	200
	3000	2.47	300
40	100	0.18	632 221 224 010
	125	0.22	012
	150	0.26	015
	175	0.3	017
	200	0.34	020
	300	0.5	030
	400	0.66	040
	500	0.81	050
	700	1.13	070
	1000	1.6	100
	1500	2.39	150
	2000	3.17	200
	3000	4.75	300
50	100	0.3	632 221 324 010
	125	0.35	012
	150	0.4	015
	175	0.44	017
	200	0.49	020
	300	0.68	030
	400	0.88	040
	500	1.07	050
	700	1.45	070
	1000	2.03	100
	1500	2.99	150
	2000	3.95	200
	3000	5.87	300
80	100	0.6	632 222 124 010
	125	0.67	012
	150	0.74	015
	175	0.82	017
	200	0.89	020
	300	1.19	030
	400	1.48	040
	500	1.78	050
	700	2.37	070
	1000	2.82	100
	1500	4.75	150
	2000	6.24	200
	3000	9.21	300

Trubka s koncovkami KZ

DN KZA/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
100	100	0.9	632 222 224 010
	125	1.04	012
	150	1.13	015
	175	1.22	017
	200	1.31	020
	300	1.68	030
	400	2.05	040
	500	2.42	050
	700	3.15	070
	1000	4.25	100
	1500	6.09	150
	2000	7.92	200
	3000	11.59	300
150	100	1.25	632 222 324 010
	150	1.69	015
	175	1.9	017
	200	2.1	020
	300	2.93	030
	400	3.76	040
	500	4.56	050
	700	6.24	070
	1000	8.72	100
	1500	12.86	150
	2000	16.99	200
	3000	25.26	300
200	125	1.25	632 222 424 012
	150	1.9	015
	175	2.1	017
	200	2.93	020
	225	3.1	022
	250	3.3	025
	275	3.6	027
	300	3.8	030
	400	4.6	040
	500	6.1	050
	700	8.5	070
	1000	11.55	100
	1500	14.3	150
	2000	19.99	200
300	150	3.3	632 222 524 015
	200	3.9	020
	225	4.1	022
	250	4.8	025
	275	5.2	027
	300	5.4	030
	400	7.25	040
	500	10.89	050
	700	12.6	070
	1000	21.59	100
	1500	25.8	150
	2000	32.29	200
	3000	42.99	300

DN KZA/KZA	L mm	Hmotnost kg	Objednáací číslo ČJK
100	100	0.9	632 222 222 010



Trubka s koncovkami KZ

DN KZB/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
25	100	0.12	632 221 144 010
	125	0.14	012
	150	0.16	015
	175	0.18	017
100	100	0.9	222 244 010
	150	1.13	015
150	1000	8.72	344 100

Trubka s koncovkami KZA/PZ

DN KZA/PZ	L mm	Hmotnost kg	Objednáací číslo ČJK
40	100	0.18	632 221 252 010
50	100	0.3	352 010
80	125	0.67	222 152 012
100	125	1.04	252 012
200	200	2.93	452 020
300	200	3.9	552 020

Trubka s koncovkami KZB/PZ

DN KZB/PZ	L mm	Hmotnost kg	Objednáací číslo ČJK
40	100	0.18	632 221 254 010
50	100	0.3	354 010
80	125	0.67	222 154 012
100	125	1.04	254 012
150	1000	8.72	354 100
200	200	2.93	454 020
200	1000	11.55	454 100
300	200	3.9	554 020

Adaptér KZA/PZ

DN KZA/PZ	L mm	Hmotnost kg	Objednáací číslo ČJK
25	25	0.06	632 231 025 125
50	25	0.14	325
80	50	0.5	232 025 125
100	50	0.62	225

Adaptér KZB/PZ

DN KZB/PZ	L mm	Hmotnost kg	Objednáací číslo ČJK
25	25	0.06	632 231 025 145
50	25	0.14	345
80	50	0.5	232 025 145
100	50	0.62	245

Doměrky KZA/KZB

DN KZA/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
25	25	0.06	632 231 020 130
25	50	0.12	131
50	25	0.14	330
50	50	0.28	331
80	50	0.5	232 020 130
100	50	0.62	230

Doměrky KZA/KZA






DN KZA/KZA	L mm	Hmotnost kg	Objednáací číslo ČJK
25	25	0.06	632 231 020 120
25	50	0.12	121
50	25	0.14	320
50	50	0.28	321
80	50	0.5	232 020 120
100	50	0.62	220





Doměrky KZB/KZB

DN KZB/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
25	25	0.06	632 231 020 140
25	50	0.12	141
50	25	0.14	340
50	50	0.28	341
80	50	0.5	232 020 140
100	50	0.62	240

Doměrky PZ/PZ

DN PZ/PZ	L mm	Hmotnost kg	Objednáací číslo ČJK
25	25	0.06	632 231 020 150
25	50	0.12	151
50	25	0.14	350
50	50	0.28	351
80	50	0.5	232 020 150
100	50	0.62	250





Oblouk 15° KZA/KZB

DN KZA/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
15	50	0.2	632 231 101 024
25	75	0.2	124
40	100	0.5	224
50	100	0.7	324
80	125	1.3	232 101 124
100	175	1.7	224
150	200	3.5	324

Oblouk 30° KZA/KZB

DN KZA/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
15	50	0.2	632 231 102 024
25	75	0.2	124
40	100	0.5	224
50	100	0.7	324
80	125	1.3	232 102 124
100	175	1.7	224
150	200	3.5	324
200	200	5.01	424
300	200	5.44	524

Oblouk 45° KZA/KZB

DN KZA/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
15	50	0.2	632 231 103 024
25	75	0.2	124
40	100	0.5	224
50	100	0.7	324
80	125	1.3	232 103 124
100	175	1.7	224
150	200	3.5	324
200	200	5.1	424
300	200	5.5	524

Oblouk 90° KZA/KZB

DN KZA/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
15	50	0.1	632 231 104 024
25	100	0.2	124
40	150	0.4	224
50	150	0.6	324
80	200	1.3	232 104 124
100	250	2	224
150	250	3.5	324
200	300	5.5	424
300	400	12	524

Oblouk 90° KZA/PZ

DN KZA/PZ	L mm	Hmotnost kg	Objednáací číslo ČJK
25	100	0.2	632 231 104 152
100	250	2	232 104 252
200	300	5.5	452
300	400	12	552

Oblouk 90° KZB/PZ

DN KZB/PZ	L mm	Hmotnost kg	Objednáací číslo ČJK
25	100	0.2	632 231 104 154
100	250	2	232 104 254
200	300	5.5	454
300	400	12	554

Oblouk 90° KZB/KZB

DN KZB/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
25	100	0.2	632 231 104 144

Oblouk 90° KZA/RK





DN KZB/RK	L mm	Hmotnost kg	Objednáací číslo ČJK
25	100	0.2	632 231 104 127





Oblouk 90° KZA/KZB s odbočkou KZ

DN KZA/KZB	DN1 odbočka	L mm	Hmotnost kg	Objednáací číslo ČJK
25	25KZB	100	0.3	632 231 109 411
25	25KZA	100	0.3	412

Oblouk 90° KZB/KZB s tubusem DN 25 KZA

DN KZB/KZB	L mm	L1 mm	L2 mm	Hmotnost kg	Objednáací číslo ČJK
80	200	100	100	1.5	632 232 114 110
100	250	100	125	2.2	210
150	250	150	150	3.2	310
200	300	150	175	5.7	410
300	400	225	225	12.2	510





Napojovací koncovka přímá KZA s olivkou

DN KZA	L mm	D mm	Hmotnost kg	Objednáací číslo ČJK
15	100	11	0.05	632 231 030 022
	100	22	0.06	
25	100	11	0.07	122
	100	22	0.08	125
	100	33	0.08	126
40	150	33	0.2	226
	150	50	0.2	227
50	150	58	0.3	328

Napojovací koncovka přímá KZB s olivkou

DN KZB	L mm	D mm	Hmotnost kg	Objednáací číslo ČJK
15	100	11	0.05	632 231 030 042
	100	22	0.06	
25	100	11	0.07	142
	100	22	0.08	145
	100	33	0.08	146
40	150	33	0.2	246
	150	50	0.2	247
50	150	33	0.3	346
	150	58	0.3	348

Napojovací koncovka 45° KZA s olivkou

DN KZA	L mm	L1 mm	D mm	Hmotnost kg	Objednáací číslo ČJK
15	70	50	22	0.2	632 231 031 025
25	100	100	22	0.25	125
25	100	100	33	0.25	126

Napojovací koncovka 45° KZB s olivkou

DN KZB	L mm	L1 mm	D mm	Hmotnost kg	Objednáací číslo ČJK
15	70	50	22	0.2	632 231 031 045
25	100	100	22	0.25	145
25	100	100	33	0.25	146

Napojovací koncovka 90° KZA s olivkou

DN KZA	L mm	L1 mm	D mm	Hmotnost kg	Objednáací číslo ČJK
15	70	50	22	0.2	632 231 032 025
25	100	100	22	0.25	125
25	100	100	33	0.25	126

Napojovací koncovka 90° KZB s olivkou





DN KZB	L mm	L1 mm	D mm	Hmotnost kg	Objednáací číslo ČJK
15	70	50	22	0.2	632 231 032 045
25	100	100	22	0.25	145
25	100	100	33	0.25	146


Tvarovka „I” KZA/KZB/KZA

DN KZA/KZB/KZA	L mm	Hmotnost kg	Objednáací číslo ČJK
15	50	0.1	632 231 210 302
25	100	0.2	312
40	150	0.6	322
50	150	0.9	332
80	200	2.3	232 210 312
100	250	3.5	322
150	250	5.5	332
200	300	9	342
300	400	19	352

Tvarovka „I” KZA/KZB/KZB

DN KZA/KZB/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
15	50	0.1	632 231 210 304
25	100	0.2	314
40	150	0.6	324
50	150	0.9	334
80	200	2.3	232 210 314
100	250	3.5	324
150	250	5.5	334
200	300	9	344
300	400	19	354





Tvarovka „T” redukovaná KZA/KZB/KZA

DN KZA/KZB	DN1 KZA	L mm	L1 mm	Hmotnost kg	Objednáací číslo ČJK
25	15	150	75	0.19	632 231 223 102
40	25	200	100	0.4	212
50	25	200	100	0.57	312
	40	200	100	0.62	322
80	25	200	100	0.95	232 223 112
	40	250	100	1.17	122
	50	250	100	1.24	132
100	25	200	125	1.58	212
	40	250	125	1.63	222
	50	250	125	1.7	232
	80	300	125	1.9	242
150	25	200	150	2.19	312
	40	250	150	2.7	322
	50	250	150	2.72	332
	80	300	150	3.3	342
	100	300	150	3.3	352
200	25	200	175	3.5	412
	40	250	175	3.58	422
	50	250	175	3.58	432
	80	300	175	4.87	442
	100	300	175	5.04	452
	150	400	225	5.15	462
300	25	300	225	6.6	512
	40	400	225	6.8	522
	50	400	225	6.82	532
	80	400	225	7	542
	100	400	225	7.19	552
	150	500	275	11.73	562
	200	600	275	12	572

Tvarovka „T” redukovaná KZA/KZB/KZB

DN KZA/KZB	DN1 KZB	L mm	L1 mm	Hmotnost kg	Objednáací číslo ČJK
25	15	150	75	0.19	632 231 223 104
40	25	200	100	0.4	214
50	25	200	100	0.57	314
	40	200	100	0.62	324
80	25	200	100	0.95	232 223 114
	40	250	100	1.17	124
	50	250	100	1.24	134
100	25	200	125	1.58	214
	40	250	125	1.63	224
	50	250	125	1.7	234
	80	300	125	1.9	244
150	25	200	150	2.19	314
	40	250	150	2.7	324
	50	250	150	2.72	334
	80	300	150	3.3	344
	100	300	150	3.3	354
200	25	200	175	3.5	414
	40	250	175	3.58	424
	50	250	175	3.58	434
	80	300	175	4.87	444
	100	300	175	5.04	454
	150	400	225	5.15	464
300	25	300	225	6.6	514
	40	400	225	6.8	524
	50	400	225	6.82	534
	80	400	225	7	544
	100	400	225	7.19	554
	150	500	275	11.73	564
	200	600	275	12	574

Tvarovka „U” KZ

DN KZA/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
15	100	0.2	632 231 310 024
25	150	0.3	124
40	150	0.6	224
50	200	0.8	324
80	225	1.8	232 310 124
100	300	2.3	224
150	350	5.2	324

Tvarovka „U” KZ s odbočkou





DN KZA/KZB	DN 1 KZA	L mm	L1 mm	Hmotnost kg	Objednáací číslo ČJK
15	15	100	200	0.2	632 231 320 312
25	25	150	250	0.3	321 312
25	40	150	250	0.7	322 312
25	50	200	300	0.8	323 312
25	80	225	350	1.9	232 321 312
25	100	300	425	2.4	322 312
25	150	350	500	5.3	323 312




Tvarovka křížová KZ

DN KZA/KZB/KZA/KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
15	50	0.2	632 231 260 024
25	100	0.3	124
40	150	1	224
50	150	1.2	324
80	200	2.9	232 260 124
100	250	4.5	224
150	250	7	324

Tvarovka „S” KZ

DB KZA/KZB	L mm	a mm	Hmotnost kg	Objednáací číslo ČJK
15	200	50	0.2	632 231 350 030
25	300	50	0.3	130
	300	100	0.3	132
40	300	50	0.5	230
	300	100	0.55	232
50	300	50	0.6	330
	300	100	0.7	332
80	400	50	1.4	232 350 130
	400	100	1.55	132
100	400	100	2.3	232
	400	150	2.6	234
150	500	100	3.9	332
	500	150	4.2	334





Zaslepovací koncovka KZA

DN KZA	L mm	Hmotnost kg	Objednáací číslo ČJK
15	50	0.1	632 611 078 016
25	75	0.1	026
40	100	0.2	041
50	100	0.2	051
80	105	0.4	081
100	105	0.6	101
150	120	1	151
200	120	1.6	201
300	165	4.2	301

Zaslepovací koncovka KZB


DN KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
15	50	0.1	632 611 079 016
25	75	0.1	026
40	100	0.2	041
50	100	0.2	051
80	105	0.4	081
100	105	0.6	101
150	120	1	151
200	120	1.6	201
300	165	4.2	301


Redukce KZA/KZB

DN1 KZA	DN2 KZB	L mm	Hmotnost kg	Objednáací číslo ČJK
25	15	100	0.1	632 231 042 104
40	15	100	0.1	204
	25	100	0.1	214
50	15	100	0.2	304
	25	100	0.2	314
	40	100	0.2	324
80	25	125	0.4	232 042 114
	40	125	0.4	124
	50	125	0.4	134
100	25	150	0.6	214
	40	150	0.6	224
	50	150	0.7	234
	80	150	0.7	244
150	25	200	1.1	314
	40	200	1.2	324
	50	200	1.2	334
	80	200	1.3	344
	100	200	1.3	354
200	25	200	1.58	414
	40	200	1.63	424
	50	200	1.7	434
	80	200	1.87	444
	100	200	2.07	454
	150	200	2.35	464
300	25	275	2.29	514
	40	275	2.36	524
	50	275	2.43	534
	80	275	2.58	544
	100	300	2.6	554
	150	300	2.7	564
	200	300	2.8	574

Redukce KZB/KZA

DN1 KZB	DN2 KZA	L mm	Hmotnost kg	Objednáací číslo ČJK
25	15	100	0.1	632 231 044 102
40	15	100	0.1	202
	25	100	0.1	212
50	15	100	0.2	302
	25	100	0.2	312
	40	100	0.2	322
80	25	125	0.4	232 044 112
	40	125	0.4	122
	50	125	0.4	132
100	25	150	0.6	212
	40	150	0.6	222
	50	150	0.7	232
	80	150	0.7	242
150	25	200	1.1	312
	40	200	1.2	322
	50	200	1.2	332
	80	200	1.3	342
	100	200	1.3	352
200	25	200	1.58	412
	40	200	1.63	422
200	50	200	1.7	432
	80	200	1.87	442
	100	200	2.07	452
	150	200	2.35	462
300	25	275	2.29	512
	40	275	2.36	522
	50	275	2.43	532
	80	275	2.58	542
	100	300	2.6	552
	150	300	2.7	562
	200	300	2.8	572





2.2 TRUBKY A TVAROVKY RK

Trubka s koncovkami RK

DN RK	L mm	Hmotnost kg	Objednací číslo ČJK
25	100	0.11	632 221 177 010
	125	0.13	012
	150	0.15	015
	175	0.17	017
	200	0.19	020
	300	0.27	030
	400	0.35	040
	500	0.43	050
	700	0.59	070
	1000	0.84	100
	1500	1.24	150
	2000	1.65	200
	3000	2.46	300
40	100	0.2	277 010
	125	0.24	012
	150	0.28	015
	175	0.32	017
	200	0.36	020
	300	0.52	030
	400	0.68	040
	500	0.84	050
	700	1.15	070
	1000	1.62	100
	1500	2.41	150
	2000	3.15	200
	3000	4.78	300
50	100	0.27	377 010
	125	0.32	012
	150	0.37	015
	175	0.41	017
	200	0.46	020
	300	0.66	030
	400	0.85	040
	500	1.04	050
	700	1.45	070
	1000	2	100
	1500	2.97	150
	2000	3.93	200
	3000	5.86	300
80	100	0.42	222 177 010
	125	0.5	012
	150	0.55	015
	175	0.64	017
	200	0.74	020
	300	1.23	030
	400	1.58	040
	500	1.84	050
	700	2.57	070
	1000	3.68	100
	1500	5.52	150
	2000	7.37	200
	3000	10.99	300

Adaptér RK/KZA

DN RK	DN1 KZA	L mm	Hmotnost kg	Objednací číslo ČJK
25	25	100	0.11	632 231 025 172
40	40	100	0.2	272
50	50	125	0.32	372
80	80	150	0.55	232 025 172

Adaptér RK/KZB





DN RK	DN1 KZB	L mm	Hmotnost kg	Objednací číslo ČJK
25	25	100	0.11	632 231 025 174
40	40	100	0.2	274
50	50	125	0.32	374
80	80	150	0.55	232 025 174





Oblouk 15° RK

DN RK	L mm	Hmotnost kg	Objednací číslo ČJK
25	75	0.2	632 231 101 177
40	100	0.5	277
50	100	0.7	377
80	125	1.3	232 101 177

Oblouk 30° RK

DN RK	L mm	Hmotnost kg	Objednací číslo ČJK
25	75	0.2	632 231 102 177
40	100	0.5	277
50	100	0.7	377
80	125	1.3	232 102 177





Oblouk 45° RK

DN RK	L mm	Hmotnost kg	Objednáací číslo ČJK
25	75	0.2	632 231 103 177
40	100	0.5	277
50	100	0.7	377
80	125	1.3	232 103 177

Oblouk 90° RK

DN RK	L mm	Hmotnost kg	Objednáací číslo ČJK
25	100	0.2	632 231 104 177
40	150	0.4	277
50	150	0.6	377
80	200	1.3	232 104 177

Oblouk 90° RK s odbočkou DN 25 RK

DN RK	L mm	Hmotnost kg	Objednáací číslo ČJK
25	100	0.3	632 231 109 410

Napojovací koncovka přímá RK – s olivkou

DN RK	L mm	D mm	Hmotnost kg	Objednáací číslo ČJK
25	100	11	0.08	632 231 030 172
25	100	22	0.08	175
25	100	33	0.08	176
50	150	58	0.3	378

Napojovací koncovka 90° RK – s olivkou

DN RK	L mm	D mm	Hmotnost kg	Objednáací číslo ČJK
25	100	33	0.2	632 231 032 176
50	150	58	0.6	378

Tvarovka „T” RK





DN RK	L mm	Hmotnost kg	Objednáací číslo ČJK
25	100	0.2	632 231 210 717
40	150	0.6	727
50	150	0.9	737
80	200	2.3	632 232 210 717





Tvarovka „T” RK redukovaná

DN RK	DN1 RK	L mm	L1 mm	Hmotnost kg	Objednáací číslo ČJK
40	25	100	100	0.4	632 231 227 217
50	25	100	100	0.47	317
	40	100	100	0.62	327
80	25	100	100	0.95	232 227 117
	40	125	100	1.17	127
	50	125	100	1.24	137

Tvarovka „U” RK

DN RK	L mm	L1 mm	Hmotnost kg	Objednáací číslo ČJK
25	150	150	0.3	632 231 310 177
40	150	150	0.6	277
50	200	175	0.9	377
80	225	200	1.9	232 310 177





Tvarovka „U“ RK s odbočkou

DN RK/RK	DN1 RK	L mm	L1 mm	L2 mm	Hmotnost kg	Objednáací číslo ČJK
25	25	150	225	75	0.3	632 231 321 717
50	25	200	300	75	0.6	323 717
	50	200	300	75	0.9	737

Tvarovka „S“ RK

DN RK	L mm	a mm	Hmotnost kg	Objednáací číslo ČJK
25	300 300	50 100	0.3 0.3	632 231 350 170 172
40	300 300	50 100	0.5 0.55	270 272
50	300 300	50 100	0.6 0.65	370 372
80	400 400	50 100	1.4 1.5	232 350 170 172

Tvarovka křížová RK


DN RK	L mm	Hmotnost kg	Objednáací číslo ČJK
25	100	0.3	632 231 260 177
40	150	1	277
50	150	1.2	377
80	200	2.9	232 260 177

Koncovka zaslepovací RK

DN RK	L mm	Hmotnost kg	Objednáací číslo ČJK
25	65	0.05	632 232 040 217
40	80	0.13	407
50	85	0.18	507
80	95	0.4	807

Redukce RK

DN RK	DN1 RK	L mm	Hmotnost kg	Objednáací číslo ČJK
40	25	100	0.1	632 231 047 217
50	25	100	0.2	317
	40	100	0.2	327
80	25	125	0.4	232 047 117
	40	125	0.4	127
	50	125	0.4	137



Problematiku mlýnských tvarovek doporučujeme konzultovat s prodejem aparatur v Sázavě.